Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S48	3	(master host) near3 redirect\$3 near3 \$2boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:34
S49	100	redirect\$3 near3 \$2boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:32
S50	15	redirect\$3 near3 \$2boot\$3 same (master host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:34
S51	239	(master host) near3 releas\$3 near3 (slave client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:35
S52	1	(master host) near3 releas\$3 near3 (slave client) near3 controller\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:37
S53	1	(master host) near3 releas\$3 near3 (slave client) with \$2boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:37
S54	. 3	(master host) near3 releas\$3 near3 (slave client) same \$2boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:46
S55	605	(master host) near3 (client host) with characteristic\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:51
S56	1943	(updat\$3 chang\$3 correct\$3) near3 (boot\$3 start\$3) near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:52
\$57	6	(updat\$3 chang\$3 correct\$3) near3 (boot\$3 start\$3) near3 address with (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:54
S58	112	(updat\$3 chang\$3 correct\$3) near3 (boot\$3 start\$3) near3 address same (master host slave client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:55
S59	64	(updat\$3 chang\$3 correct\$3) near3 (boot\$3 start\$3) near3 address with (master host slave client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:55

						
S61 _.	1	S56 same (identif\$4 poll\$3) near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 11:05
S62	26	S56 and (identif\$4 poll\$3) near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 12:22
S63	19183	(identif\$4 poll\$3) near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 12:22
S64	53	(identif\$4 poll\$3) near3 (client slave) with boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 12:57
S65	18	(select\$5 choos\$3) near3 boot\$3 with characteristic\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:46
S67	133	(select\$5 choos\$3) near3 boot\$3 with (identif\$4 identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:55
S68	6	(select\$5 choos\$3) near3 boot\$3 with (identif\$4 identification) near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:15
S69	8	(select\$5 choos\$3) near3 boot\$3 with (identif\$4 identification) with remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:15
S70	1	(select\$5 choos\$3) near3 boot\$3 with characteristic\$1 with remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:17
S71	19	boot\$3 with characteristic\$1 with remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2007/01/18 13:17
S72	19	(select\$5 choos\$3) near3 boot\$3 with (identif\$4 identification) same (client slave master host)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:21
S73	9	(select\$5 choos\$3) near3 boot\$3 with (identif\$4 identification) same remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:22

S74	3893	(select\$5 choos\$3) near3 image with characteristic\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:23
S75	194	(select\$5 choos\$3) near3 boot\$3 with (client slave master host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:24
S76	76	(select\$5 choos\$3) near3 boot\$3 with (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 13:34
S77	73	(select\$5 choos\$3) near3 boot\$3 with (remote\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:39
S78	32	(updat\$3 chang\$3 redirect\$3) near3 boot\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:39
S79	228	(select\$5 choos\$3) near3 boot\$3 with (parameter information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:46
580	5	(select\$5 choos\$3) near3 boot\$3 with (parameter information) near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:49
S81	7	(select\$5 choos\$3) near3 boot\$3 with propert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:49
S82	121	(select\$5 choos\$3) near3 boot\$3 with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:52
S83	2	(select\$5 choos\$3) near3 boot\$3 with type near3 (client slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:49
S84	47	(select\$5 choos\$3) near3 boot\$3 with (identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:50
S85	21	(select\$5 choos\$3) near3 boot\$3 adj3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 14:54

S86	20	(select\$5 choos\$3) near3 boot\$3 same poll\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:49
S87	5	(boot\$3 os) adj2 image with based near3 (type\$1 characteristic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:54
S88	78	(boot\$3 os) adj2 image with (type\$1 characteristic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:54
S89	3	(boot\$3 os) adj2 image with (type\$1 characteristic\$1) near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:54
S90	93	(select\$5 choos\$3) near3 (boot\$3 os) adj2 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:56
S91	15	(select\$5 choos\$3) near3 (boot\$3 os) adj2 image with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:19
S92	4887	(select\$5 choos\$3) near3 (boot\$3 os)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:19
S93	66	(inquir\$3 interrogat\$3 poll\$3) same S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:20
S94	21603	translat\$3 near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:14
S95	1252	S94 with (os operating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:15
S96	11	S94 with (os operating) with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:19
S98	5	S94 with (os operating) with boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:19

S99	50	S94 with (boot\$3)	US-PGPUB;	OR	OFF	2007/01/23 15:20
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
\$10 0	219	program\$4 near3 translat\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 11:52
S10 1	147	program\$4 adj3 translat\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 09:59
S10 2	4	program\$4 adj3 translat\$3 adj2 address with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 09:56
S10 3	2	programming adj3 translat\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 10:01
S10 6	5	programming near3 translat\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 11:06
S10 8	86	programming adj3 translat\$3 with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 10:01
S10 9	63	programming adj3 translat\$3 near3 interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 10:10
S11 0	23	S108 not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 10:10
S11 1	14	programmed near3 translat\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 11:06
S11 3	164	advantage\$5 near3 translat\$3 near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 11:53
S11 4	9	advantage\$5 with translat\$3 near2 address near2 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/25 15:58

Page 5